North Central U.S. Climate & Drought Outlook June 18, 2020

Aaron B. Wilson

wilson.1010@osu.edu | 614-292-7930

State Climate Office of Ohio (SCOO)

OSU Extension - College of Food, Agricultural, and

Environmental Sciences

Byrd Polar and Climate Research Center



THE OHIO STATE UNIVERSITY









United States Department of Agriculture Midwest Climate Hub



General Information

Providing climate services to the North Central US

Collaboration Activity Among:

NOAA NCEI/NWS/OAR/NIDIS/

USDA Climate Hubs

American Association of State Climatologists

Midwest and High Plains Regional Climate Centers

National Drought Mitigation Center

Next Regular Climate/Drought Outlook Webinar

July 16, 2020 (1 PM CDT) Martha Shulski - Nebraska State Climatologist

Access to Future Climate Webinars and Information

http://www.drought.gov/drought/content/regional-programs/regional-drought-webinars https://mrcc.illinois.edu/multimedia/webinars.jsp http://www.hprcc.unl.edu/webinars.php

Agenda

Climate Recap & Recent Conditions

Impacts: Hydrological, Snow/Water, Agricultural, Other

Outlooks: Short-term, July, and Summer Updates

RECENT CLIMATE CONDITIONS


May Temperature Recap

- Following in April's footsteps, generally near to below average temperatures across the region
- 27th coldest in MO; many top 40 coldest
- Colorado/Wyoming exceptions –
 9th warmest for CO

Recent Climate Conditions

Statewide Average Temperature Ranks
May 2020

Period: 1895-2020




May Precipitation Recap

- Mixed conditions across the region
- Dry in the west and north (17th and 18th driest, respectively for WY and CO)
- Wetter than average across the eastern states (top 20-30)

Recent Climate Conditions



May 2020 Period: 1895-2020




March - May Temperature Recap

- Despite a chilly April and May, temperatures were near to above average for much of the region
- 12th warmest for CO
- Top 40th warmest in the east

Recent Climate Conditions

Statewide Average Temperature Ranks

March - May 2020 Period: 1895-2020




March - May Precipitation Recap

- Dry West / Wet East
- 9th driest for CO and ND; Below average across the Northern Great Plains
- Top 20 wettest for MI, OH, and MO; IN sticks out in the East

Recent Climate Conditions

Statewide Precipitation Ranks

March - May 2020 Period: 1895-2020





Lack of Severe Weather Across the U.S.


Recent Climate Conditions



Fewest May Severe Weather Reports (2,627) since 2014










Number of May Tornado Watches	Year
10	2020
12	2018
15	2014
16	2012
22	2016
24	1979



Recent Climate Conditions

Last 30 Days: Temperature


- Well above average (4-8°F) across the western states and northern Great Plains
- Multiple locations setting records for most days 90°F or greater (e.g., Sioux Fall, Sioux City)
- Not as hot in the east a couple of degrees above average





Recent Climate Conditions

Daily Records

May Cold → June Heat








Recent Climate Conditions

Last 30 Days: Precipitation

- Heavy rainfall (>5") from MO
 northward through parts of IA and
 WI; also in KY and
 Southern/Central OH
- Less than 2" from West Central MN, through Dakotas, Western NE/KS, WY and CO
- Dry conditions also concentrated in Western KY, IL, and IN


NOAA Regional Climate Centers


Generated 6/17/2020 at HPRCC using provisional data.



Hydrology

Soil Moisture






Source: https://www.cpc.ncep.noaa.gov/products/Soilmst_Monitoring/US/Soilmst/Soilmst.shtml


- Recent path of T.S. Cristobal clearly stands out (MO-WI)
- Elsewhere rapidly drying soils; especially in S. KS



Soil Moisture


Hydrology





- Very dry in the upper portion of the soils across S. KS, western Dakotas, Central MN
- Drying rapidly across IN and NW OH, NE, KS, CO

Evaporative Demand Drought Index



Source: https://www.esrl.noaa.gov/psd/eddi/

Hydrology

- "Thirst of the atmosphere" or precursor for water stress
- 1-month: Strong indication of dryingconditions across the west, northern Great Lakes, and parts of OH/KY
- 1-week: Rapidly increasing demand due to dry air, sunny skies, and heat: CO-western KS-southwest NE; southeast SD-southwest MN; northern IN-northwest OH
- Heat and very windy conditions leading to intense evaporation rates across Central and Northern Plains

Missouri River Snowpack


 Above average temperatures led to rapid snowmelt and some early flooding of upstream tributaries

Thanks to Kevin Grode, P.E.

Northwestern Division

MRBWM Reservoir Regulation Team Lead

Hydrology



The Missouri River Basin mountain snowpack normally peaks near April 15.

Platte River Snowpack


- Snowpack melted very quickly – note the higher than average peaks but rapid loss through May and June
- Flows on tributaries lower than normal for this time of year

Thanks to Kevin Grode, P.E.
Northwestern Division
MRBWM Reservoir Regulation Team Lead

Hydrology

Platte River Basin - Mountain Snowpack Water Content Water Year 2019-2020

June 17, 2020



The North and South Platte River Basin mountain snowpacks normally peak near April 15 and the end of April, respectively. As of June 16, 2020, the mountain snowpack SWE in the "Total North Platte" reach is currently 0.5", 25% of average. The mountain snowpack SWE in the "Total South Platte" reach is currently 0.1", 4% of average.


Source: USDA, Natural Resource Conservation Service

Provisional Data. Subject to Revision

7-Day Stream Flows

- Stream Flows generally falling across the region
- Below normal for parts of IN/OH, southern KS, central MN, and western ND
- Above the 90th percentile in central MO northward through IA, WI, and MI

Hydrology




	Expla	anation	 Percer 	illie cia	sses	
•		•	•			•
Low	<10	10-24	25-75	76-90	>90	High
	Much below normal	Below normal	Normal	Above normal	Much above normal	

River Forecasts (Jun-Aug): Ohio River Valley

Hydrology

- No immediate concerns here for flooding
- Stream flows are dropping in this basin




River Forecasts (Jun-Aug): Upper Mississippi

Hydrology

 Peaked last week from early June rains


 Fall below flood levels next week and not likely to return soon



Hydrology

River Forecasts (Jun-Aug): Missouri River Valley

- Past peak mountain snowmelt
- Flood potential is
 normal as drier
 conditions have
 allowed soils to dry out
- Episodic minor-tomoderate flood in the lower third of the basin




Great Lakes


- Lakes Superior and Michigan-Huron are slowly climbing
- Lakes St. Clair and Erie are maintaining near-record levels
- Lake Ontario dropping a bit and below 2019
- Navigation problems (strong currents when high flow pulses move through) and flooding, erosion
- Forecasts show levels peaking in June/July then falling, but staying near record levels

https://www.lre.usace.army.mil/Missions/Great-Lakes-Information/Great-Lakes-Information-2/Basin-Conditions/


Hydrology



U.S. Drought Monitor



Hydrology



 Share impacts with local experts and/or the Drought Impact Reporter

(https://droughtreporter.unl.edu/map/)

Agriculture




Top and Right Pictures reflecting the contrasting conditions across Kansas (Top): Romulo Lollato (Wheat Specialist, KSRE); (Right): Ignacio Ciampitti (Crop Specialist, KSRE).


Background Picture courtesy of Kenzie Johnston with OSU Extension




USDA NASS Crop Progress:Winter Wheat



Thanks to Brad Rippey – USDA OCE Washington D.C.






Agriculture


- Progress a little behind 5-year average (-3%)
- Harvest behind in MO-IL-IN
- Crop conditions in Good-to-Excellent ~50%; down from 2019

Agriculture

USDA NASS Crop Progress: Corn

- Corn progress is ahead of 5-year average (well behind in ND as residual 2019 issues continue dry surface but too wet below)
- Corn conditions much improved over 2019







Thanks to Brad Rippey – USDA OCE Washington D.C.

USDA NASS Crop Progress: Soybean

Agriculture

- Soybean progress is ahead of 5-year average (well behind in ND as residual 2019 issues continue dry surface but too wet below)
- Soybeans are fairing well (72% Good to Excellent)





Thanks to Brad Rippey – USDA OCE Washington D.C.


USDA NASS Crop Progress: Soybean

Agriculture

- Soybean progress is ahead of 5-year average (well behind in ND as residual 2019 issues continue dry surface but too wet below)
- Soybeans are fairing well (72% Good to Excellent)

Far Right: Soybean field near the Twin Cities. Courtesy of Pete Boulay -Climatologist MNDNR Ecological and Water Resources

Thanks to Brad Rippey – USDA OCE Washington D.C.






USDA NASS Crop Progress: Pasture/Rangeland

- Deteriorating conditions across the western states (CO, KS, NE, ND)
- Worse conditions compared to last year (+16% Poor to very poor – not shown)

Thanks to Brad Rippey – USDA OCE Washington D.C.


Agriculture



Pasture/Rangeland (Montana)



Agriculture



Photos Courtesy of Michael Downey, Water Planning Section Supervisor - MT DNRC

- No green-up on mid-to-low elevation cool season grasses
- Hot, dry, and windy weather does not bode well

Agriculture

Other Issues

- 50% hay yields in western SD due to dry spring conditions; similar conditions in western KS/NE – future cuttings in jeopardy; better in the east
- Some cattle being sold in the west; hauling water for livestock (e.g., in Colorado)
- Reduced alfalfa in spots as well (e.g., IA and SD alfalfa weevil pressure)
- Michigan tart cherry loss of 65 million lbs compared to 2019
 - Using 5-year (2015-2019) average Michigan tart cherry production of 189 million pounds, the state alone has lost about 66 million pounds of production potential worth about \$13.2 million.
 - Early season heat has also led to poor pollination in stonefruits/apples
 - Large fruit drop from combined impacts likely low yields

Other Issues

Agriculture

- Replant taking place in some of the wetter areas but close to wrapping up
- Driest areas starting to stress crops may help others develop good root structure
- Heat and wind are making conditions worse large demand for moisture


Pictures: Corn in NE Guthrie County, Iowa mostly hilltops and poorer soils. Courtesy of Craig Cogil Senior Forecaster-National Weather Service







Major Events

Rare Western Derecho









June 6, 2020 derecho event is exceedingly rare.

* Only two other Western U.S. events well-documented in literature: May 31, 1994 and June 1, 2002.

June 6, 2020 Derecho stats (based on prelim data):

Began in southern UT around 15Z (9am MDT). Last severe wind report received at 252Z (852pm MDT).

Severe wind reports span at least 750 miles from far southeast Utah to southwest North Dakota.

Produced severe wind reports for nearly 12 hours and tracked northeast at an average pace near 60 mph.

Highest measured gust: 110 mph from the Winter Park Ski Area in Grand County, CO.






Major Events

- The most significant wind gusts (75+ mph) in a single day (44)
- Exceptionally rare occurrence for this region
- 110 mph wind gust at Winter Park Ski Area in Grand County, CO



Early Tropical Activity



Major Events

- T.S. Cristobal (June 8-10) Swath of locally heavy rain from LA northward into WI and MI
- T.S. Cristobal is the second tropical system on record to move through lowa. The last was an unnamed T.S. that made landfall in Galveston, TX and entered lowa on September 11th, 1900.
- Power outages numerous throughout the region; Mudslides reported in MN; Floods and inundated fields in Iowa (band of 3-6" of rain)

Major Events

Springtime in the Rockies!

- June 8: 7 to 8 inches in the Laramie Valley.
- The event broke the daily snowfall record as well as the June monthly snowfall record, both of which had been set in 1974.
- Around 10,000 were without power for about 12 hours.
- More snow in the high country of NW Wyoming




Water Resources Data System - Wyoming State Climate Office

ENSO Status and Projection

 ENSO-neutral is most likely to continue through the Northern Hemisphere summer 2020, with roughly equal chances of ENSO-neutral or La Niña beginning in August-October 2020.


 Not forecasting La Niña at this time



7-Day Quantitative Precipitation Forecast

Valid 7am Thu June 18 – 7 am Thu June 25

- Actual precipitation is likely to be more isolated than indicated
- Given current evaporation rates, only the heaviest rainfall will ease drying conditions long-term; lighter rains will not likely to have big impact




Source: https://www.wpc.ncep.noaa.gov/#




8-14 Day Temperature/Precipitation Probabilities


Outlooks

June 25 – July 1, 2020






8-14 Day Risks




June 25 – July 1, 2020




Source: https://www.cpc.ncep.noaa.gov/




July Temperature/Precipitation Probabilities









Jul - Sep Temperature/Precipitation Probabilities





Drought Outlook


 Generally across the region – conditions will like deteriorate before improving in September



Outlooks

Fire

Outlooks



- High wildland fire danger present in SW Colorado; Above normal potential to expand throughout western Colorado and western Montana during July
- Emergency declaration made in western Kansas to prepare; may not be capturing concerns across the Northern Plains

Conditions Summary

- Transitioned from cooler to warmer than average across the North Central Region
- Very warm and windy across the central and northern Plains
- Rapidly increasing demand for water with intense evaporation occurring
- Soils are drying; stream flows are dropping; fire danger is increasing in the west
- Great Lakes continue their record or near-record levels
- Row crops (corn and soybean) fairing well much better than 2019
- Some issues with specialty crops, pastures/rangelands deteriorating

Outlook Summary

- ENSO neutral through summer then...?
- Summer outlooks based on in-situ soil moisture and trends
- Warmer than average conditions likely across the region in July greater confidence in the western states
- Slightly elevated probability of above average precipitation in the far southern and eastern reaches of the North Central Region
- Drought likely to expand and intensify across Colorado, Wyoming, Montana, and the western Dakotas



Additional Information - Partners

Today's and Past Recorded Presentations and

http://mrcc.isws.illinois.edu/webinars.htm should be

https://mrcc.illinois.edu/multimedia/webinars.jsphttp://www.hprcc.unl.edu

NOAA's National Climatic Data Center: www.ncdc.noaa.gov

Monthly climate reports (U.S. & Global): www.ncdc.noaa.gov/sotc/

NOAA's Climate Prediction Center: www.cpc.ncep.noaa.gov

Climate Portal: www.climate.gov

U.S. Drought Portal: www.drought.gov

National Drought Mitigation Center: http://drought.unl.edu/

State climatologists: http://www.stateclimate.org

Regional climate centers: http://mrcc.illinois.edu and http://www.hprcc.unl.edu



Special Information

Updated Great Lakes Climate and Water Levels Update and Outlook Webinar - June 22, 12:30-2pm CT

Topics covered include:

- The conditions that contributed to the high water levels
- The climate outlook from 2 weeks through the next season
- Some of the impacts from high lake levels
- The typical watches and warnings that may occur around the Lakes due to high levels
- An outlook for the lake levels themselves

Register at https://attendee.gotowebinar.com/register/7783082580408145934

Questions

Climate:

Aaron Wilson: wilson.1010@osu.edu, 614-292-7930

Dennis Todey: dennis.todey@usda.gov, 515-294-2013

Doug Kluck: doug.kluck@noaa.gov, 816-994-3008

Mike Timlin: mtimlin@illinois.edu; 217-333-8506

Natalie Umphlett: numphlett2@unl.edu, 402 472-6764

Brian Fuchs: bfuchs2@unl.edu, 402 472-6775

Weather:

crhroc@noaa.gov

North Central U.S. Climate & Drought Outlook June 18, 2020



THANK YOU!

Aaron Wilson (wilson.1010@osu.edu)

