
# Midwest and Great **Plains Climate-Drought Outlook** 18 April 2019

Dr. Dennis Todey Director – USDA Midwest Climate Hub Nat'l Lab. for Ag. and Env. Ames, IA dennis.todey@ars.usda.gov 515-294-2013

Photo: Justin Glisan











United States Department of Agriculture Midwest Climate Hub

# **General Information**

#### Providing climate services to the Central Region

- Collaboration Activity Between:
  - NOAA NCEI/NWS/OAR/NIDIS/
  - USDA Climate Hubs
  - American Association of State Climatologists
  - Midwest and High Plains Regional Climate Centers
  - National Drought Mitigation Center
- Next Regular Climate/Drought Outlook Webinar
  - May 16, 2019 (1 PM CDT) Aaron Wilson– Ohio State Climate Office (OSU Ext.)
- Access to Future Climate Webinars and Information
- <u>http://www.drought.gov/drought/content/regional-programs/regional-drought-webinars</u>
- <u>https://mrcc.illinois.edu/multimedia/webinars.jsp</u>
- http://www.hprcc.unl.edu/webinars.php
- Open for questions at the end

# Agenda

- Current Context
- Major storm events
- Impacts
  - Ag
  - Snow/water
  - Other
- Outlooks
  - El Niño here
  - Planting/summer



Tornado damage Shelby Co, OH– NWS via Aaron Wilson Ohio State Climate Office

James River SD 30 March 2019

Laura Edwards, SD State Climatologist (SDSU Extension)

### **REVIEW/CURRENT CONDITIONS**

### March Temperature Recap

Period: 1895-2019 67 National Centers for pr 8 2019 Much Above Average Much Below Below Near Above Record Coldest Record Average Average Average /armes Average (1)(125)

Statewide Average Temperature Ranks March 2019


Mostly moderate to colder than average in the region

http://www.ncdc.noaa.gov/temp-and-precip/us-maps/


### March Precipitation Recap

Wet storm track from Intermountain west to central plains

Drier far NW and east




http://www.ncdc.noaa.gov/temp-and-precip/us-maps/





https://www.ncdc.noaa.gov/temp-and-precip/us-maps/

### Seasonal snow ranks (totals)




Main number – snow rank Upper number – snow total Box – low ranking snow totals






#### 0.1 0.25 0.5 1 1.75 2.5 3.25 4 4.75 5.5 Generated 4/17/2019 at HPRCC using provisional data. NOAA F

#### Last 30 days Precipitation




- Most region drier than avg. last 30 days
- Pockets wetter than avg.



NOAA Regional Climate Centers

Departure from Normal Temperature (F) 3/18/2019 - 4/16/2019




### 7-Day Average Streamflow


#### Wednesday, 17 April 2019

Tuesday, April 16, 2019

- Widespread wet
- Eastern Corn Belt moderate
- Little below average flow




http://waterwatch.usgs.gov/index.php?id=pa07d



mst\_Monitoring/US/Soilmst/Soilmst.shtml

### **US Drought Monitor**

#### U.S. Drought Monitor NWS Central Region



**April 16, 2019** (*Released Thursday, Apr. 18, 2019*) Valid 8 a.m. EDT

#### Drought Conditions (Percent Area) D0-D4 D1-D4 D2-D4 D3-D4 D4 None 4.60 0.77 0.00 0.00 0.00 Current 95.40 Last Week 94.53 5.47 0.84 0.00 0.00 0.00 04-09-2019 3 Months Ago 83.94 16.06 7.97 5.05 2.28 0.95 01-15-2019 Start of 85.98 14.02 2.44 8.17 5.23 1.01 Calendar Year 01-01-2019 Start of 64.00 36.00 17.93 9.15 5.03 1.49 Water Year 09-25-2018 One Year Ago 72.03 27.97 17.55 9.21 4.15 0.86 04-17-2018

 Intensity:

 D0 Abnormally Dry

 D1 Moderate Drought

 D2 Severe Drought

The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

<u>Author:</u> David Miskus NOAA/NWS/NCEP/CPC




http://droughtmonitor.unl.edu/

- 4.6% coverage (may be lowest ever for region)
- 0.77% D1 nothing larger
- Eastern area 8<sup>th</sup> straight week no coverage (longest ever)

### **US Drought Monitor**

#### U.S. Drought Monitor NWS Central Region



**April 16, 2019** (*Released Thursday, Apr. 18, 2019*) Valid 8 a.m. EDT

Drought Conditions (Percent Area)

	None	D0-D4	D1-D4	D2-D4	D3-D4	D4
Current	95.40	4.60	0.77	0.00	0.00	0.00
Last Week 04-09-2019	94.53	5.47	0.84	0.00	0.00	0.00
3 Month s Ago 01-15-2019	83.94	16.06	7.97	5.05	2.28	0.95
Start of Calendar Year 01-01-2019	85.98	14.02	8.17	5.23	2.44	1.01
Start of Water Year 09-25-2018	64.00	36.00	17.93	<mark>9.1</mark> 5	5.03	1.49
One Year Ago 04-17-2018	72.03	27.97	17.55	9.21	4.15	0.86

Intensity:



The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

<u>Author:</u> David Miskus

NOAA/NWS/NCEP/CPC



http://droughtmonitor.unl.edu/

- 4.6% coverage (may be lowest ever for region)
- 0.77% D1 nothing larger
- Eastern area 8<sup>th</sup> straight week no coverage (longest ever)

Road near West Point, NE

Al Dutcher, UNL Extension Climate



# MAJOR WINTER STORM – 1 (MARCH)

## **Recovery** issues

- Road damage (numerous minor some major I-29 may not open until June)
- Railroad lines still not reopened
- Road repair budgets/materials being stretched
  - Pavement
  - Gravel
- Acres will not be planted this year due to:
  - Trash/sand coverage
  - Excess wetness (prevent plant)
  - Field access by road



Mental health issues ongoing due to several weather/climate events and larger economic issues



Lake Andes, SD


Steven Stluka, via NWS Sioux Falls

Minnehaha County, SD Minnehaha County Sheriff Via NWS Sioux Fall



### MAJOR WINTER STORM – 2 (APRIL)

#### April 9-12 Blizzard



Marshall

75 100 Miles Windom

Spirit Lake

Storm Lake

## April 9-12 issues

- Livestock losses (numbers still being accumulated)
- Additional flooding (snowmelt)
- Transportation
- Infrastructure
  - Power lines
  - Trees

Fostoria, IA


Jewlie Secord, via NWS Sioux Falls



### April 9-12 issues

# Dust – transported from southern plains







via NWS Minneapolis

#### How typical is this spring compared to recent decades?


In a 38-year period of spring leaf out, how often do we see springs like 2019?



(Created 4/15/19)





### AGRICULTURE



https://www.usda.gov/oce/weather/pubs/Weekly/Wwcb/wwcb.pdf


# USDA state reports Winter Wheat Conditions






Data collected by USDA National Agricultural Statistics Service (NASS)

Plots courtesy Brad Rippey USDA Office of the Chief Economist



# NASS Corn Progress

- So far little delay
- Prep work ongoing behind
- Some anhydrous spills because of rush to supply



### Various ag

- Alfalfa damage from Ohio Iowa due to cold without snow cover and multiple freeze/thaw
- Widespread general wetness (slowing spring work)
- Eastern Corn Belt starting progress planting
- Southern MO beautiful spring so far. Great for trees/early plants

Minnesota Flooding Pomme de Teer River

Photo: Laura Edwards SD Climatologist



# Various ag

- Livestock issues ongoing from March and April events
- Calf losses increased due to severe conditions (not without effort)
- Still could have additional issues with stressed livestock that did survive
- Numbers still being accumulated April system may not have been as severe as expected




Willow Lake, SD

Carolyn Edelman, via NWS Sioux Falls

# WATER/FLOODING

SD Flooding


Photo: Laura Edwards SD Climatologist



NRCS Snow Water Equivalent

MT-WY – Missouri drainage snow reaching peak (around avg. toals)


 CO – Platte drainage low snow pack



The Missouri River Basin mountain snowpack normally peaks near April 15.

#### Platte River Basin - Mountain Snowpack Water Content Water Year 2018-2019

April 18, 2019



The North and South Platte River Basin mountain snowpacks normally peak near April 15 and the end of April, respectively. As of April 17, 2019, the mountain snowpack SWE in the "Total North Platte" reach is currently 21.5", 112% of average. The mountain snowpack SWE in the "Total South Platte" reach is currently 15.4", 107% of average.

Provisional Data. Subject to Revision

#### UPPER MISSISSIPPI RIVER VALLEY

### including the RRN, Ohio & Missouri Basins

#### (next 4 weeks or so)

#### **Ohio River Basin:**


No huge concerns, but vulnerable to flooding due to wet soils.

#### **Upper Midwest:**

- Red River of the North: major flooding ongoing, cresting over the next week.
- Minnesota River: major flooding ongoing, cresting over the next week.
- Mississippi River: remains in flood for much of its length. Rising levels in upper reach. But forecast is steady-to-falling downstream of Keokuk Iowa.
- Soils wet, tribs running high, therefore vulnerable to spring rains.

#### **Missouri River Basin:**

- Big Sioux River: flooding ongoing, cresting early next week.
- James River: major flooding ongoing, cresting now to early May.
- Missouri River: minor flooding ongoing, will remain in flood until late May
- Soils wet, tribs running high, therefore vulnerable to spring rains.




### Other water issues

- Stretch of major flooding in Mississippi (top 8-10 crests)
- At Davenport 26 days at major flood (April 18) Could reach the most (31 days)
- Red River flood ongoing

Red River Flooding (Fargo)


Photo: Adnan Akyuz ND State Climatol.






https://coastwatch.glerl.noaa.gov/glsea/cur/glsea\_cur.png

## Fire



https://www.predictiveservices.nifc.gov/outlo oks/outlooks.htm

So far fairly quiet early fire season. Some reports in Colorado recently.



Next issuance May 1, 2019

Above normal significant wildland fire potential indicates a greater than usual likelihood that significant wildland fires will occur. Significant wildland fires should be expected at typical times and intervals during normal significant wildland fire potential conditions Significant wildland fires are still possible but less likely than usual during forecasted below normal periods.

Near Aberdeen, SD 14 March 2019

Laura Edwards, SD State Climatologist (SDSU Extension)

# OUTLOOKS




# **Climate Outlooks**


- La Niña/El Niño in status.....
- 7-day precipitation forecast
- 8-14 day outlook
- May
- Summer/growing season

### SST Departures (°C) in the Tropical Pacific During the Last Four Weeks

During the last four weeks, equatorial SSTs were above average in the central and east-central Pacific Ocean. SSTs were below average around Indonesia and in parts of the far eastern Pacific.



### Sub-Surface Temperature Departures in the Equatorial Pacific




In the last two months, positive subsurface

#### Most recent pentad analysis

Negative subsurface temperature anomalies have shifted to the far eastern Pacific (85°W-80°W).


The recent cooling in the central Pacific at 150-200m depth reflects an upwelling equatorial oceanic Kelvin wave.




### CPC/IRI Probabilistic ENSO Outlook

Updated: 11 April 2019

El Niño conditions are favored to continue through fall 2019 with diminishing chances (~50% in October-November-December).




### 7-day Quantitative Precipitation Forecast




http://www.wpc.ncep.noaa.gov/qpf/day1-7.shtml

## Temperature and Precipitation Probabilities for 25 April – 1 May 2019




Temperature Precipitation http://www.cpc.ncep.noaa.gov/products/predictions/814day/index.php

## May Temperature and Precipitation Probabilities



TemperaturePrecipitationhttp://www.cpc.ncep.noaa.gov/products/predictions/30day/

## 3 Month Temperature and Precipitation Probabilities (May – July)




Temperature

Precipitation

http://www.cpc.ncep.noaa.gov/products/predictions/long\_range/seasonal.php?lead=2

## 3 Month Temperature and Precipitation Probabilities (June - August)




#### Temperature

Precipitation

http://www.cpc.ncep.noaa.gov/products/predictions/long\_range/seasonal.php?lead=2

# **Drought Outlook through 31 July**



Depicts large-scale trends based on subjectively derived probabilities guided by short- and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (D0 or none).

**Drought persists** 

**Drought remains but improves** 

**Drought removal likely** 

**Drought development likely** 



http://go.usa.gov/3eZ73

http://www.cpc.ncep.noaa.gov/products/expert assessment/season drought.gif/

## **Summary - Conditions**

- Wetness at many time scales (many record setting periods)
- \* Impacts
  - \* Wet soils
  - \* Ongoing flooding
  - \* Delayed ag activity
- \* Cold avoided many crop issues perennials
- \* Drought issues nearly non-existant

 Another major winter storm cause large livestock and infrastructure issues in April – details still accumulating

# Summary - Outlooks

- \* El Niño (currently weak/moderate) likely to stay through summer
- \* Decent impact on summer outlooks
- \* Slight chance warmer far east and west in our region
- \* Cooler chance then EC for much of summer
- \* Slight chance wetter over much of region into summer.
- \* Drought issues likely limited

### **Further Information - Partners**

- Today's and Past Recorded Presentations and :
- <u>http://mrcc.isws.illinois.edu/webinars.htm</u> <u>http://www.hprcc.unl.edu</u>
- NOAA's National Climatic Data Center: <u>www.ncdc.noaa.gov</u>
  - Monthly climate reports (U.S. & Global): <u>www.ncdc.noaa.gov/sotc/</u>
- NOAA's Climate Prediction Center: <u>www.cpc.ncep.noaa.gov</u>
- Climate Portal: <u>www.climate.gov</u>
- U.S. Drought Portal: <u>www.drought.gov</u>
- National Drought Mitigation Center: http://drought.unl.edu/
- State climatologists
  - <u>http://www.stateclimate.org</u>
- Regional climate centers
  - <u>http://mrcc.isws.illinois.edu</u>
  - <u>http://www.hprcc.unl.edu</u>

# **Thank You and Questions?**

- Questions:
  - Climate:
  - Dennis Todey: <u>dennis.todey@ars.usda.gov</u> , 515-294-2013
  - Doug Kluck: <u>doug.kluck@noaa.gov</u>, 816-994-3008
  - Mike Timlin: mtimlin@illinois.edu; 217-333-8506
  - Natalie Umphlett: <u>numphlett2@unl.edu</u>; 402 472-6764
  - Brian Fuchs: bfuchs2@unl.edu 402 472-6775
  - Weather:
  - <u>crhroc@noaa.gov</u>

### For More Information



#### Midwest Climate Hub

@dennistodey



https://www.climatehubs.oce. usda.gov/hubs/midwest



#### Charlene Felkley, Coordinator 515-294-0136 Charlene.felkley@ars.usda.gov

Dennis Todey, Director 515-294-2013 Dennis.todey@ars.usda.gov Erica Kistner, Fellow 515-294-9602 Erica.kristner@ars.usda.gov

National Laboratory for Agriculture and the Environment

Attn: Midwest Climate Hub 1015 N University Blvd Ames, Iowa 50011-3611



Midwest Climate Hub